

HIT-ICE

Safety information for 2-Component-products

Issue date: 25/07/2023

Revision date: 25/07/2023

Supersedes: 11/11/2022

Version: 8.0

SECTION 1: Kit identification 1.1 Product identifier Product name HIT-ICE Product code **BU** Anchor 1.2 Details of the supplier of the Safety information for 2-Component-products Storage Storage temperature : 5 - 25 °C Germany Regulatory reference WGK awg, Hazardous to water in general (Classification according to AwSV, Annex 1) Storage class (LGK, TRGS 510) LGK 5.2 - Organic peroxides and self-reactive substances GISCODE CD20 - Chemical anchors, sensitising A SDS for each of these components is included. Please do not separate any component SDS from this cover page This Kit should be handled in accordance with good laboratory practices and appropriate personal protective equipment should be used

SECTION 3: Kit contents

Classification of the Product

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Org. Perox. EH242Eye Irrit. 2H319Skin Sens. 1H317Aquatic Acute 1H400Aquatic Chronic 1H410

Full text of H- and EUH-statements: see section 16

Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

	GHS02 GHS07 GHS09	
Signal word (CLP)	Warning	
Hazardous ingredients	methacrylates, dibenzoyl peroxide	
Hazard statements (CLP)	H242 - Heating may cause a fire. H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. H410 - Very toxic to aquatic life with long lasting effects.	
Precautionary statements (CLP)	P210 - Keep away from heat, hot surfaces, open flames, sparks. – No smoking. P280 - Wear eye protection, protective clothing, protective gloves.	



HIT-ICE Kit Safety Information Sheet (SIS)

P262 - Do not get in eyes, on skin, or on clothing.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P302+P352 - IF ON SKIN: Wash with plenty of soap and water.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

Extra phrases

Additional information

Plastic-cartridge, contains: Methacrylate resin, inorganic filler Dibenzoyl peroxide, phlegmatized

	A	
n En	в	
484	A	

Name	General description	Quantity	Unit	Classification according to Regulation (EC) No. 1272/2008 [CLP]
HIT-ICE, A		1	pcs (pieces)	Skin Sens. 1, H317 Aquatic Chronic 3, H412
HIT-ICE, B		1	pcs (pieces)	Org. Perox. E, H242 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

SECTION 4: General information

General advice

For professional users only

SECTION 5: Safe handling adv	rice
General measures	Spilled material may present a slipping hazard
Environmental precautions	Prevent entry to sewers and public waters Notify authorities if liquid enters sewers or public waters
Storage conditions	Keep cool. Protect from sunlight.
Precautions for safe handling	Wear personal protective equipment Avoid contact with skin and eyes Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work Provide good ventilation in process area to prevent formation of vapour
Methods for cleaning up	This material and its container must be disposed of in a safe way, and as per local legislation Mechanically recover the product Store away from other materials.
For containment	Collect spillage.
Incompatible materials	Sources of ignition Direct sunlight
Incompatible products	Strong bases Strong acids

SECTION 6: First aid measures	
First-aid measures after eye contact	Rinse immediately with plenty of water Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists
First-aid measures after ingestion	Rinse mouth Get medical advice/attention. Do not induce vomiting



HIT-ICE

Kit Safety Information Sheet (SIS)

	Obtain emergency medical attention
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air Allow the victim to rest
First-aid measures after skin contact	Wash contaminated clothing before reuse. Wash with plenty of water/ If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures general	Take off immediately all contaminated clothing. Never give anything by mouth to an unconscious person If you feel unwell, seek medical advice (show the label where possible)
Symptoms/effects after eye contact	Causes serious eye irritation.
Symptoms/effects after skin contact	May cause an allergic skin reaction.
Other medical advice or treatment	Treat symptomatically

SECTION 7: Fire fighting measures	
Firefighting instructions	Use water spray or fog for cooling exposed containers Exercise caution when fighting any chemical fire Prevent fire fighting water from entering the environment
Protection during firefighting	Self-contained breathing apparatus Do not enter fire area without proper protective equipment, including respiratory protection
Hazardous decomposition products in case of fire	Thermal decomposition generates : Carbon dioxide Carbon monoxide

SECTION 8: Other information

No data available



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 25.07.2023 Revision date: 25.07.2023 Supersedes version of: 11.11.2022

Version: 8.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Product name UFI Product code Mixture HIT-ICE, B WJ5R-003C-FX00-5UAV BU Anchor

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category Use of the substance/mixture Professional use Composite mortar component for fasteners in the construction industry

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier
Hilti Deutschland AG
Hiltistr. 2
DE- 86916 Kaufering
Deutschland
T +49 8191 90-0 - F +49 8191 90-1122
de.kundenservice@hilti.com

Department issuing data specification sheet Hilti Entwicklungsgesellschaft mbH Hiltistraße 6 DE– 86916 Kaufering Deutschland T +49 8191 906876 anchor.hse@hilti.com

1.4. Emergency telephone number

Emergency number

Schweizerisches Toxikologisches Informationszentrum – 24h Service +41 44 251 51 51 (international)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Organic Peroxides, Type E	H242
Serious eye damage/eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment – Acute Hazard, Category 1	H400
Hazardous to the aquatic environment – Chronic Hazard, Category 1	H410
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP)



Signal word (CLP) Contains Hazard statements (CLP) Warning dibenzoyl peroxide H242 - Heating may cause a fire.



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

	H317 - May cause an allergic skin reaction.
	H319 - Causes serious eye irritation.
	H410 - Very toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	P210 - Keep away from heat, hot surfaces, open flames, sparks. – No smoking.
	P280 - Wear eye protection, protective clothing, protective gloves.
	P262 - Do not get in eyes, on skin, or on clothing.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P302+P352 - IF ON SKIN: Wash with plenty of soap and water.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
	P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII Contains no PBT/vPvB substances \geq 0.1% assessed in accordance with REACH Annex XIII

Component	
dibenzoyl peroxide (94-36-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
oxydipropanol (25265-71-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component	
dibenzoyl peroxide(94-36-0)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
oxydipropanol(25265-71-8)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
dibenzoyl peroxide substance with national workplace exposure limit(s) (DE)	CAS-No.: 94-36-0 EC-No.: 202-327-6 EC Index-No.: 617-008-00-0 REACH-no: 01-2119511472- 50	25 – 40	Org. Perox. B, H241 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)	



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
oxydipropanol substance with national workplace exposure limit(s) (DE)	CAS-No.: 25265-71-8 EC-No.: 246-770-3 REACH-no: 01-2119456811- 38	5 – 10	Not classified

Full text of H- and EUH-statements: see section 16

4.1. Description of first aid measures	
First-aid measures general	Take off immediately all contaminated clothing. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	Wash contaminated clothing before reuse. Wash with plenty of water/ If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	Rinse mouth. Get medical advice/attention. Do not induce vomiting. Obtain emergency medical attention.

Symptoms/effects after skin contact	May cause an allergic skin reaction.
Symptoms/effects after eye contact	May cause severe irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	Water spray. Carbon dioxide. Dry powder. Foam. Sand.		
Unsuitable extinguishing media	Do not use a heavy water stream.		
5.2. Special hazards arising from the substance or mixture			
Hazardous decomposition products in case of fire	Thermal decomposition generates : Carbon dioxide. Carbon monoxide.		
5.3. Advice for firefighters			
Firefighting instructions	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.		
Protection during firefighting	Self-contained breathing apparatus. Do not enter fire area without proper protective equipment, including respiratory protection.		

SECTION 6: Accidental release me	pasures		
6.1. Personal precautions, protective equipment and emergency procedures			
General measures	Spilled material may present a slipping hazard.		
6.1.1. For non-emergency personnel			
Emergency procedures	Evacuate unnecessary personnel.		



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

6.1.2. For emergency responders		
Protective equipment	Use personal protective equipment as required. Equip cleanup crew with proper protection.	
Emergency procedures	Ventilate area.	
6.2. Environmental precautions		
Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.		

6.3. Methods and material for containment and cleaning up			
For containment	Collect spillage.		
Methods for cleaning up	This material and its container must be disposed of in a safe way, and as per local		
	legislation. Mechanically recover the product. Store away from other materials.		
Other information	Dispose of materials or solid residues at an authorized site.		

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	Wear personal protective equipment. Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, including	any incompatibilities
Storage conditions Incompatible products Incompatible materials	Keep cool. Protect from sunlight. Strong bases. Strong acids. Sources of ignition. Direct sunlight.
Storage temperature Heat and ignition sources	5 – 25 °C Keep away from heat and direct sunlight.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional information

The product has a pasty consistency. Exposure limit values for respirable dusts are not relevant for this product.

8.1.1. National occupational exposure and biological limit values

HIT-ICE, B			
Germany - Occupational Exposure Limits (TRGS 900)			
Local name	Oxydipropanol (Dipropylenglykol)		
AGW (OEL TWA) [1]	5 mg/m³ (E)		
Peak exposure limitation factor	1(I)		
Remark	DFG - Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe der DFG (MAK-Kommission)		
Regulatory reference	TRGS900		



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

dibenzoyl peroxide (94-36-0)		
Germany - Occupational Exposure Limits (TRGS 900)		
Local name	Dibenzoylperoxid	
AGW (OEL TWA) [1]	5 mg/m³ (E)	
Peak exposure limitation factor	1(I)	
Remark	DFG	
Regulatory reference	TRGS900	
oxydipropanol (25265-71-8)		
Germany - Occupational Exposure Limits (TRGS 900)		
AGW (OEL TWA) [1]	100 mg/m³	
Peak exposure limitation factor	2(II)	
Remark	AGS,Y,17	
Regulatory reference	TRGS900	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure adequate ventilation.

8.2.2. Personal protection equipment

Personal protective equipment:

Safety glasses. Gloves. Protective clothing. Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Wear security glasses which protect from splashes

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses	Droplet	clear	EN 166, EN 170





8.2.2.2. Skin protection

Hand protection:

Wear protective gloves. The permeation time is not the maximum wearing time! Generally speaking, it must be reduced. Contact with either mixtures of substances or different substances may shorten the protective function's effective duration.

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0,12		EN ISO 374

8.2.2.3. Respiratory protection

No additional information available

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Consumer exposure controls:

Avoid contact during pregnancy/while nursing.

Other information:

Do not eat, drink or smoke during use. No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Solid
Colour	white.
Appearance	Thixotropic paste.
Odour	characteristic.
Odour threshold	Not determined
Melting point	Not available
Freezing point	≥ -25 °C
Boiling point	Not available
Flammability	Flammable
Explosive properties	Heating may cause a fire.
Oxidising properties	May cause fire or explosion; strong oxidiser.
Explosive limits	Not applicable
Lower explosion limit	Not applicable
Upper explosion limit	Not applicable
Flash point	Not applicable
Auto-ignition temperature	Not self-igniting
Decomposition temperature	Not available
SADT	> 50 °C
pH	Not available
pH solution	Not available
Viscosity, kinematic	Not applicable
Viscosity, dynamic	55 – 95 mPa·s (HN 570-1)
Solubility	Water: Not miscible
Partition coefficient n-octanol/water (Log Kow)	Not available
Vapour pressure	Not available
Vapour pressure at 50°C	Not available



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Density Relative density Relative vapour density at 20°C Particle size Particle size distribution Particle shape Particle aspect ratio Particle aggregation state Particle agglomeration state Particle specific surface area	1,35 g/ml DIN 51757 Not available Not applicable Not available Not available Not available Not available Not available Not available Not available Not available
66	

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

ormation					
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008					
Acute toxicity (oral) Not classified					
Acute toxicity (dermal) Not classified					
Acute toxicity (inhalation) Not classified					
oxydipropanol (25265-71-8)					
> 5000 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral)					
> 5010 mg/kg bodyweight (Equivalent or similar to OECD 402, Rabbit, Male / female, Experimental value, Dermal)					
Skin corrosion/irritation Not classified					
Based on available data, the classification criteria are not met					
Causes serious eye irritation.					



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Respiratory or skin sensitisation	May cause an allergic skin reaction.			
Germ cell mutagenicity	Not classified			
Additional information	Based on available data, the classification criteria are not met			
Carcinogenicity	Not classified			
Additional information	Based on available data, the classification criteria are not met			
dibenzoyl peroxide (94-36-0)				
IARC group	3 - Not classifiable			
Reproductive toxicity	Not classified			
STOT-single exposure	Not classified			
Additional information	Based on available data, the classification criteria are not met			
STOT-repeated exposure	Not classified			
Additional information	Based on available data, the classification criteria are not met			
Aspiration hazard	Not classified			
Additional information	Based on available data, the classification criteria are not met			
11.2. Information on other hazards				
11.2.1. Endocrine disrupting properties				
11.2.2. Other information				
Potential adverse human health effects and symptoms	No additional information available			

SECTION 12: Ecological information

12.1. Toxicity					
Hazardous to the aquatic environment, short-term (acute)	Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.				
Hazardous to the aquatic environment, long–term (chronic)					
dibenzoyl peroxide (94-36-0)					
LC50 - Fish [2]	0,0602 mg/l (96h; Oncorhynchus mykiss; ECHA)				
EC50 - Crustacea [1]	0,11 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)				
ErC50 algae	0,0711 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)				
NOEC (acute)	0,0316 mg/l (96h; Oncorhynchus mykiss; ECHA)				
NOEC chronic fish	0,001 mg/l				
oxydipropanol (25265-71-8)					
LC50 - Fish [1]	> 1000 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oryzias latipes, Semi-static system, Fresh water, Experimental value)				
LC50 - Other aquatic organisms [1]	3181 mg/l (Other, 48 h, Xenopus laevis, Fresh water, Experimental value)				
EC50 - Crustacea [1]	> 100 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)				
EC50 72h - Algae [1]	> 100 mg/l (OECD 201: Alga, Growth Inhibition Test, Desmodesmus subspicatus, Fresh water, Experimental value)				



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ersistence and degradability benzoyl peroxide (94-36-0)						
benzoyl peroxide (94-36-0)	Not established.					
	dibenzovl peroxide (94-36-0)					
ersistence and degradability	Readily biodegradable in water. Not established. May cause long-term adverse effects in the environment.					
ydipropanol (25265-71-8)						
ersistence and degradability	Readily biodegradable in water.					
2.3. Bioaccumulative potential						
T-ICE, B						
oaccumulative potential	Not established.					
benzoyl peroxide (94-36-0)						
artition coefficient n-octanol/water (Log Pow)	3,71					
oaccumulative potential	Low bioaccumulation potential (Log Kow < 4).					
ydipropanol (25265-71-8)						
artition coefficient n-octanol/water (Log Pow)	-0,462 (Test data, Equivalent or similar to OECD 107, 21.7 °C)					
oaccumulative potential	Bioaccumulation: not applicable.					
2.4. Mobility in soil						
benzoyl peroxide (94-36-0)						
urface tension	No data available (test not performed)					
rganic Carbon Normalized Adsorption Coefficient og Koc)	3,8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)					
cology - soil	Low potential for mobility in soil.					
ydipropanol (25265-71-8)						
urface tension	71,4 mN/m (22 °C, 1.01 g/l)					
rganic Carbon Normalized Adsorption Coefficient og Koc)	0,78 (log Koc, Calculated value)					
cology - soil	Low potential for adsorption in soil.					
2.5. Results of PBT and vPvB assessment						
T-ICE, B						
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII						
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII						
2.6. Endocrine disrupting properties						

Additional information

Avoid release to the environment.



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 13: Disposal considerations					
13.1. Waste treatment methods					
Regional legislation (waste)	Disposal must be done according to official regulations.				
Product/Packaging disposal recommendations	After curing, the product can be disposed of with household waste Full or only partially emptied cartridges must be disposed of as special waste in accordance with official regulations. Packaging contaminated by the product : Dispose in a safe manner in accordance with local/national regulations.				
Ecology - waste materials	Avoid release to the environment.				
European List of Waste (LoW) code	08 04 09* - waste adhesives and sealants containing organic solvents or other dangerous substances 20 01 27* - paint, inks, adhesives and resins containing dangerous substances				
HP Code	HP1 - "Explosive:" waste which is capable by chemical reaction of producing gas at such a temperature and pressure and at such a speed as to cause damage to the surroundings. Pyrotechnic waste, explosive organic peroxide waste and explosive self-reactive waste is included.				

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / RID

ADR	IMDG	ΙΑΤΑ	RID
14.1. UN number or ID num	iber		
UN 3108	UN 3108	UN 3108	UN 3108
14.2. UN proper shipping n	ame		
ORGANIC PEROXIDE TYPE E, SOLID (dibenzoyl peroxide)	ORGANIC PEROXIDE TYPE E, SOLID (dibenzoyl peroxide)	Organic peroxide type E, solid (dibenzoyl peroxide)	ORGANIC PEROXIDE TYPE E, SOLID (dibenzo peroxide)
Transport document descr	iption		1
UN 3108 ORGANIC PEROXIDE TYPE E, SOLID (dibenzoyl peroxide), 5.2, (D), ENVIRONMENTALLY HAZARDOUS 14.3. Transport hazard class 5.2	UN 3108 ORGANIC PEROXIDE TYPE E, SOLID (dibenzoyl peroxide), 5.2, MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS ss(es) 5.2	UN 3108 Organic peroxide type E, solid (dibenzoyl peroxide), 5.2, ENVIRONMENTALLY HAZARDOUS 5.2	UN 3108 ORGANIC PEROXIDE TYPE E, SOLID (dibenzoyl peroxide), 5.2, ENVIRONMENTALLY HAZARDOUS
14.4. Packing group	52	5.2	5.2
Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazard	ls		1
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary informatio	n available		1



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

14.6. Special precautions for user		
Overland transport		
Classification code (ADR)	P1	
Special provisions (ADR)	122, 274	
Limited quantities (ADR)	500g	
Packing instructions (ADR)	P520	
Mixed packing provisions (ADR)	MP4	
Transport category (ADR)	2	
Tunnel restriction code (ADR)	D	
Turmer restriction code (ADR)	D	
Transport by sea		
Special provisions (IMDG)	122, 274	
Limited quantities (IMDG)	500 g	
Packing instructions (IMDG)	P520	
EmS-No. (Fire)	F-J	
EmS-No. (Spillage)	S-R	
Stowage category (IMDG)	D	
MFAG-No	145	
	140	
Air transport		
PCA packing instructions (IATA)	570	
PCA max net quantity (IATA)	10kg	
CAO packing instructions (IATA)	570	
Special provisions (IATA)	A20	
,		
Rail transport		
Special provisions (RID)	122, 274	
Limited quantities (RID)	500g	
Packing instructions (RID)	P520	

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Germany

GISCODE	CD20 - Chemical anchors, sensitising.
Water hazard class (WGK)	WGK awg, Hazardous to water in general (Classification according to AwSV, Annex 1).
Storage class (LGK, TRGS 510)	LGK 5.2 - Organic peroxides and self-reactive substances.
Chemicals Prohibition Ordinance (ChemVerbotsV)	This product is subject to ChemVerbotsV Annex 2 Entry 2. The following requirement must
	be observed: Basic requirements for the implementation of the submission (according to § 8
	paragraph 1, 3 and 4).
Hazardous Incident Ordinance (12. BImSchV)	Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes	ndication of changes				
Section	Changed item	Change	Comments		
1.1	UFI	Modified			
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Modified			
2.2	Hazard pictograms (CLP)	Removed			
2.2	Hazard statements (CLP)	Removed			
3.2	Composition/information on ingredients	Modified			
15	GISCODE	Modified			

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC50	Median effective concentration	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Abbreviations and acronyms:			
IMDG	International Maritime Dangerous Goods		
LC50	Median lethal concentration		
LD50	Median lethal dose		
LOAEL	Lowest Observed Adverse Effect Level		
NOAEC	No-Observed Adverse Effect Concentration		
NOAEL	No-Observed Adverse Effect Level		
NOEC	No-Observed Effect Concentration		
OECD	Organisation for Economic Co-operation and Development		
PBT	Persistent Bioaccumulative Toxic		
PNEC	Predicted No-Effect Concentration		
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
SDS	Safety Data Sheet		
vPvB	Very Persistent and Very Bioaccumulative		

Other information

None.

Full text of H- and EUH-statements:		
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H241	Heating may cause a fire or explosion.	
H242	Heating may cause a fire.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
Org. Perox. B	Organic Peroxides, Type B	
Org. Perox. E	Organic Peroxides, Type E	
Skin Sens. 1	Skin sensitisation, Category 1	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:			
Org. Perox. E	H242	Expert judgement	
Eye Irrit. 2	H319	Calculation method	
Skin Sens. 1	H317	Calculation method	
Aquatic Acute 1	H400	Calculation method	



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:			
Aquatic Chronic 1	H410	Calculation method	

SDS_EU_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 25.07.2023 Revision date: 25.07.2023 Supersedes version of: 11.11.2022

Version: 6.8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Product name UFI Product code Mixture HIT-ICE, A 6VVQ-V0D8-HX01-ACGC BU Anchor

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category Use of the substance/mixture Professional use Composite mortar component for fasteners in the construction industry

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier
Hilti Deutschland AG
Hiltistr. 2
DE– 86916 Kaufering
Deutschland
T +49 8191 90-0 - F +49 8191 90-1122
de.kundenservice@hilti.com

Department issuing data specification sheet Hilti Entwicklungsgesellschaft mbH Hiltistraße 6 DE– 86916 Kaufering Deutschland T +49 8191 906876 anchor.hse@hilti.com

1.4. Emergency telephone number

Emergency number

Schweizerisches Toxikologisches Informationszentrum – 24h Service +41 44 251 51 51 (international)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture			
Classification according to Regulation (EC) No. 127 Skin sensitisation, Category 1 Hazardous to the aquatic environment – Chronic Hazar Full text of H- and EUH-statements: see section 16	H317		
Adverse physicochemical, human health and environ No additional information available	onmental effects		
2.2. Label elements			
Labelling according to Regulation (EC) No. 1272/200 Hazard pictograms (CLP)	GHS07		
Signal word (CLP) Contains Hazard statements (CLP) Precautionary statements (CLP)	Warning 2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol, Methyl methyacrylate H317 - May cause an allergic skin reaction. H412 - Harmful to aquatic life with long lasting effects. P280 - Wear eye protection, protective clothing, protective gloves. P262 - Do not get in eyes, on skin, or on clothing.		





P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P302+P352 - IF ON SKIN: Wash with plenty of water.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component	
Ethoxylated Bisphenol A Dimethacrylate (41637-38-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
1,6-hexanediyl bismethacrylate (6606-59-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
2-Propenoic acid, 2-methyl-, monoester with 1,2- propanediol (27813-02-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
1,1,1-Trimethylolpropane trimethacrylate (3290-92-4)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Methyl methyacrylate (80-62-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component	
Ethoxylated Bisphenol A Dimethacrylate(41637-38-1)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
1,6-hexanediyl bismethacrylate(6606-59-3)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
2-Propenoic acid, 2-methyl-, monoester with 1,2- propanediol(27813-02-1)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
1,1,1-Trimethylolpropane trimethacrylate(3290-92-4)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
1,1'-(p-tolylimino)dipropan-2-ol(38668-48-3)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605





Component	
Methyl methyacrylate(80-62-6)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethoxylated Bisphenol A Dimethacrylate	CAS-No.: 41637-38-1 REACH-no: 01-2119980659- 17	10 – 25	Not classified
1,6-hexanediyl bismethacrylate	CAS-No.: 6606-59-3 EC-No.: 229-551-7	5 – 10	Aquatic Chronic 3, H412
2-Propenoic acid, 2-methyl-, monoester with 1,2- propanediol	CAS-No.: 27813-02-1 EC-No.: 248-666-3 EC Index-No.: 607-125-00-5 REACH-no: 01-2119490226- 37	5 – 10	Eye Irrit. 2, H319 Skin Sens. 1, H317
1,1,1-Trimethylolpropane trimethacrylate	CAS-No.: 3290-92-4 EC-No.: 221-950-4 REACH-no: 01-2119542176- 41	3 – 5	Aquatic Chronic 2, H411
1,1'-(p-tolylimino)dipropan-2-ol	CAS-No.: 38668-48-3 EC-No.: 254-075-1 REACH-no: 01-2119980937- 17	0,1 – 1	Acute Tox. 2 (Oral), H300 (ATE=25 mg/kg bodyweight) Eye Irrit. 2, H319 Aquatic Chronic 3, H412
Methyl methyacrylate substance with national workplace exposure limit(s) (DE); substance with a Community workplace exposure limit	CAS-No.: 80-62-6 EC-No.: 201-297-1 EC Index-No.: 607-035-00-6	0 – 0.5	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Skin Sens. 1, H317 STOT SE 3, H335

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
1,6-hexanediyl bismethacrylate	CAS-No.: 6606-59-3 EC-No.: 229-551-7	(10 ≤C < 100) STOT SE 3, H335

Full text of H- and EUH-statements: see section 16



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Vincenscious person. If you feel unwell, seek medical advice (show the label where possible).First-aid measures after inhalationRemove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.First-aid measures after skin contactWash contaminated clothing before reuse. Wash with plenty of water/ If skin irritation or rash occurs: Get medical advice/attention.First-aid measures after eye contactRinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists.First-aid measures after ingestionRinse mouth. Get medical advice/attention. Do not induce vomiting. Obtain emergency medical attention.42. Most important symptoms and effects, both acute and delayedMay cause an allergic skin reaction. May cause severe irritation.	4.1. Description of first aid measures	- · - · · · · · · · · · · · · · · · · · · ·
breathe fresh air. Allow the victim to rest. First-aid measures after skin contact Wash contaminated clothing before reuse. Wash with plenty of water/ If skin irritation of rash occurs: Get medical advice/attention. First-aid measures after eye contact Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists. First-aid measures after ingestion Rinse mouth. Get medical advice/attention. Do not induce vomiting. Obtain emergency medical attention. 4.2. Most important symptoms and effects , both acute and delayed May cause an allergic skin reaction.	First-aid measures general	unconscious person. If you feel unwell, seek medical advice (show the label where
First-aid measures after eye contact Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists. First-aid measures after ingestion Rinse mouth. Get medical advice/attention. Do not induce vomiting. Obtain emergency medical attention. 4.2. Most important symptoms and effects, both acute and delayed May cause an allergic skin reaction. Symptoms/effects after eye contact May cause severe irritation.	First-aid measures after inhalation	
First-aid measures after ingestion Continue rinsing. Obtain medical attention if pain, blinking or redness persists. Rinse mouth. Get medical advice/attention. Do not induce vomiting. Obtain emergency medical attention. 4.2. Most important symptoms and effects, both acute and delayed Symptoms/effects after skin contact May cause an allergic skin reaction. Symptoms/effects after eye contact May cause severe irritation.	First-aid measures after skin contact	
wedical attention. 4.2. Most important symptoms and effects, both acute and delayed Symptoms/effects after skin contact May cause an allergic skin reaction. Symptoms/effects after eye contact May cause severe irritation.	First-aid measures after eye contact	
Symptoms/effects after skin contactMay cause an allergic skin reaction.Symptoms/effects after eye contactMay cause severe irritation.	First-aid measures after ingestion	с с <i>,</i>
Symptoms/effects after eye contact May cause severe irritation.	4.2. Most important symptoms and effe	ects, both acute and delayed
	Symptoms/effects after skin contact	May cause an allergic skin reaction.
4.3. Indication of any immediate medical attention and special treatment needed	Symptoms/effects after eye contact	May cause severe irritation.
	4.3. Indication of any immediate medic	al attention and special treatment needed

SECTION 5: Firefighting measures 5.1. Extinguishing media	
Suitable extinguishing media	Water spray. Carbon dioxide. Dry powder. Foam. Sand.
Unsuitable extinguishing media	Do not use a heavy water stream.
5.2. Special hazards arising from the subst	ance or mixture
Hazardous decomposition products in case of fire	Thermal decomposition generates : Carbon dioxide. Carbon monoxide.
5.3. Advice for firefighters	
Firefighting instructions	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	Self-contained breathing apparatus. Do not enter fire area without proper protective equipment, including respiratory protection.

General measures	Spilled material may present a slipping hazard.
.1.1. For non-emergency personnel	
mergency procedures	Evacuate unnecessary personnel.
.1.2. For emergency responders	
Protective equipment	Use personal protective equipment as required. Equip cleanup crew with proper protection
mergency procedures	Ventilate area.

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up	
For containment	Collect spillage.
Methods for cleaning up	This material and its container must be disposed of in a safe way, and as per local
	legislation. Mechanically recover the product. Store away from other materials.



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Other information

Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling Hygiene measures	Wear personal protective equipment. Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.	
7.2. Conditions for safe storage, inc	Ŭ	
Storage conditions	Keep cool. Protect from sunlight.	
Incompatible products	Strong bases. Strong acids.	
Incompatible materials	Sources of ignition. Direct sunlight.	
Storage temperature	5 – 25 °C	
Heat and ignition sources	Keep away from heat and direct sunlight.	

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional information

Г

The product has a pasty consistency. Exposure limit values for respirable dusts are not relevant for this product.

8.1.1. National occupational exposure and biological limit values

HIT-ICE, A			
EU - Indicative Occupational Exposure Limit (IOEL)	EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Methyl methacrylate		
IOEL TWA [ppm]	50 ppm		
IOEL STEL [ppm]	100 ppm		
Regulatory reference	COMMISSION DIRECTIVE 2009/161/EU		
Germany - Occupational Exposure Limits (TRGS 900)			
Local name	Methyl-methacrylat		
AGW (OEL TWA) [1]	210 mg/m ³		
AGW (OEL TWA) [2]	50 ppm		
Peak exposure limitation factor	2(I)		
Remark	DFG - Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe der DFG (MAK-Kommission); EU - Europäische Union (Von der EU wurde ein Luftgrenzwert festgelegt: Abweichungen bei Wert und Spitzenbegrenzung sind möglich); Y - Ein Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes (BGW) nicht befürchtet zu werden		



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

HIT-ICE, A	
Regulatory reference	TRGS900
Methyl methyacrylate (80-62-6)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Methyl methacrylate
IOEL TWA [ppm]	50 ppm
IOEL STEL [ppm]	100 ppm
Germany - Occupational Exposure Limits (TRGS 900)	
Local name	Methyl-methacrylat
AGW (OEL TWA) [1]	210 mg/m ³
AGW (OEL TWA) [2]	50 ppm
Remark	DFG,EU,Y

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure adequate ventilation.

8.2.2. Personal protection equipment

Personal protective equipment:

Safety glasses. Gloves. Protective clothing. Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Wear security glasses which protect from splashes

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses	Droplet	clear	EN 166, EN 170





8.2.2.2. Skin protection

Hand protection:

Wear protective gloves. The permeation time is not the maximum wearing time! Generally speaking, it must be reduced. Contact with either mixtures of substances or different substances may shorten the protective function's effective duration.

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0,12		EN ISO 374

8.2.2.3. Respiratory protection

No additional information available

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Consumer exposure controls:

Avoid contact during pregnancy/while nursing.

Other information:

Do not eat, drink or smoke during use. No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Solid
Colour	Grey.
Appearance	Thixotropic paste.
Odour	characteristic.
Odour threshold	Not determined
Melting point	Not available
Freezing point	Not available
Boiling point	Not available
Flammability	Flammable
Explosive properties	Product is not explosive.
Explosive limits	Not applicable
Lower explosion limit	Not applicable
Upper explosion limit	Not applicable
Flash point	Not applicable
Auto-ignition temperature	Not self-igniting
Decomposition temperature	Not available
рН	Not available
pH solution	Not available
Viscosity, kinematic	32544,379 mm²/s
Viscosity, dynamic	55 Pa·s HN-0333
Solubility	Water: Not miscible
Partition coefficient n-octanol/water (Log Kow)	Not available
Vapour pressure	Not available
Vapour pressure at 50°C	Not available
Density	1,69 g/ml DIN 51757
Relative density	Not available



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Relative vapour density at 20°C	Not applicable
Particle size	Not available
Particle size distribution	Not available
Particle shape	Not available
Particle aspect ratio	Not available
Particle aggregation state	Not available
Particle agglomeration state	Not available
Particle specific surface area	Not available
	Not available Not available

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008		
Acute toxicity (oral) Not classified		
Acute toxicity (dermal)	Not classified	
Acute toxicity (inhalation)	Not classified	
Ethoxylated Bisphenol A Dimethacrylate (41637-38-	1)	
LD50 oral rat > 2000 mg/kg		
LD50 dermal rat > 2000 mg/kg		
1,6-hexanediyl bismethacrylate (6606-59-3)		
LD50 oral rat > 15000 mg/kg (Rat; Literature study)		
2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)		
LD50 oral rat > 5000 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Literature study; >=2000 mg/ bodyweight; Rat; Experimental value)		



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)		
.D50 dermal rabbit ≥ 5000 mg/kg bodyweight (Rabbit; Experimental value)		
1,1,1-Trimethylolpropane trimethacrylate	(3290-92-4)	
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rat	> 3000 mg/kg	
1,1'-(p-tolylimino)dipropan-2-ol (38668-48-	3)	
LD50 oral rat	25 mg/kg	
LD50 dermal rat	> 2000 mg/kg	
Methyl methyacrylate (80-62-6)		
LD50 oral rat	> 6000 mg/kg (Rat; Equivalent or similar to OECD 401; Literature study; 7900 mg/kg bodyweight; Rat; Equivalent or similar to OECD 401; Weight of evidence; 8400 mg/kg bodyweight; Rat; Weight of evidence)	
LD50 dermal rabbit	> 7550 mg/kg (Rabbit; Literature study; Equivalent or similar to OECD 402; >5000 mg/kg bodyweight; Rabbit; Experimental value)	
LC50 Inhalation - Rat	27,5 mg/l/4h (Rat; Literature study)	
Skin corrosion/irritation Additional information Serious eye damage/irritation	Not classified Based on available data, the classification criteria are not met Not classified	
Additional information	Based on available data, the classification criteria are not met	
Respiratory or skin sensitisation	May cause an allergic skin reaction.	
Germ cell mutagenicity Additional information	Not classified Based on available data, the classification criteria are not met	
Carcinogenicity	Not classified	
Additional information	Based on available data, the classification criteria are not met	
Reproductive toxicity	Not classified	
Additional information	Based on available data, the classification criteria are not met	
STOT-single exposure	Not classified	
Additional information	Based on available data, the classification criteria are not met	
Methyl methyacrylate (80-62-6) STOT-single exposure	May cause respiratory irritation.	
<u> </u>		
STOT-repeated exposure Additional information	Not classified Based on available data, the classification criteria are not met	
Aspiration hazard	Not classified	
Additional information	Based on available data, the classification criteria are not met	
HIT-ICE, A		
Viscosity, kinematic	32544,379 mm²/s	
11.2. Information on other hazards		
11.2.1. Endocrine disrupting properties		

11.2.2. Other information

Potential adverse human health effects and No additional information available symptoms





SECTION 12: Ecological information	
12.1. Toxicity	
Hazardous to the aquatic environment, short-term (acute)	Not classified
Hazardous to the aquatic environment, long–term (chronic)	Harmful to aquatic life with long lasting effects.
Ethoxylated Bisphenol A Dimethacrylate (41637-3	8-1)
LC50 - Fish [1]	> 100 mg/l
EC50 - Crustacea [1]	> 100 mg/l
NOEC (acute)	> 100 mg/l
1,6-hexanediyl bismethacrylate (6606-59-3)	
LC50 - Fish [1]	4,5 mg/l (96 h; Brachydanio rerio)
EC50 - Crustacea [1]	11,9 mg/l (48 h, Daphnia magna, QSAR)
EC50 72h - Algae [1]	5,33 mg/l (Algae, QSAR)
2-Propenoic acid, 2-methyl-, monoester with 1,2-p	ropanediol (27813-02-1)
LC50 - Fish [1]	493 mg/l (48 h; Leuciscus idus; GLP)
EC50 - Crustacea [1]	> 143 mg/l (48 h; Daphnia magna; GLP)
ErC50 algae	97,2 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
Threshold limit - Algae [1]	> 97,2 mg/l (72 h; Pseudokirchneriella subcapitata; GLP)
Threshold limit - Algae [2]	> 97,2 mg/l (72 h; Pseudokirchneriella subcapitata; GLP)
1,1,1-Trimethylolpropane trimethacrylate (3290-92	-4)
LC50 - Fish [1]	2 mg/l
ErC50 algae	3,88 mg/l
NOEC chronic fish	0,138 mg/l
NOEC chronic crustacea	0,177 mg/l
1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)	
LC50 - Fish [1]	≈ 17 mg/l
LC50 - Other aquatic organisms [1]	245 mg/l
EC50 - Crustacea [1]	28,8 mg/l
NOEC (acute)	57,8 mg/l
Methyl methyacrylate (80-62-6)	
LC50 - Fish [1]	130 mg/l (96 h; Pimephales promelas; Lethal)
LC50 - Fish [2]	191 mg/l (96 h; Lepomis macrochirus)
EC50 - Crustacea [1]	69 mg/l (48 h; Daphnia magna; GLP)
EC50 - Crustacea [2]	502 mg/l (24 h; Daphnia magna)
EC50 72h - Algae [1]	> 110 mg/l (OECD 201: Alga, Growth Inhibition Test, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Growth rate)



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Methyl methyacrylate (80-62-6)		
TLM - Fish [1]	159 mg/l (96 h; Pimephales promelas)	
Threshold limit - Other aquatic organisms [1]	100 mg/l (16 h; Pseudomonas putida)	
Threshold limit - Algae [1]	37 mg/l (168 h; Scenedesmus quadricauda; Toxicity test)	
Threshold limit - Algae [2]	120 mg/l (192 h; Microcystis aeruginosa)	

12.2. Persistence and degradability

HIT-ICE, A		
Persistence and degradability	Not established.	
2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)		
Persistence and degradability Readily biodegradable in water.		
Methyl methyacrylate (80-62-6)		
Biochemical oxygen demand (BOD)	0,14 g O ₂ /g substance	
ThOD	1,9 g O ₂ /g substance	

12.3. Bioaccumulative potential

HIT-ICE, A		
Bioaccumulative potential	Not established.	
Ethoxylated Bisphenol A Dimethacrylate (41637-38-1)		
Bioconcentration factor (BCF REACH)	52,13	
Partition coefficient n-octanol/water (Log Pow)	3,43 – 5,62 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)	
Partition coefficient n-octanol/water (Log Kow)	5,3	
1,6-hexanediyl bismethacrylate (6606-59-3)		
BCF - Fish [1]	228,6 l/kg (BCFBAF v3.01, Pisces, QSAR, Fresh weight)	
Partition coefficient n-octanol/water (Log Pow)	4,08 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)	
2-Propenoic acid, 2-methyl-, monoester with 1,2-pro	opanediol (27813-02-1)	
BCF - Fish [1]	≤ 100	
BCF - Fish [2]	3,2 Quantitative structure-activity relationship (QSAR)	
Partition coefficient n-octanol/water (Log Pow)	0,97 (OECD 102 method)	
Bioaccumulative potential	Low bioaccumulation potential (BCF < 500).	
1,1,1-Trimethylolpropane trimethacrylate (3290-92-4)		
BCF - Fish [2]	366 l/kg	
Partition coefficient n-octanol/water (Log Pow)	3,53	
Partition coefficient n-octanol/water (Log Kow)	4,39	
1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)		
Partition coefficient n-octanol/water (Log Kow)	2,1	



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Methyl methyacrylate (80-62-6)	
BCF - Fish [1]	2,97 – 3,5 (Pisces)
Partition coefficient n-octanol/water (Log Pow)	1,32 – 1,38 (Experimental value; OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method; 20 °C)
Bioaccumulative potential	Low bioaccumulation potential (Log Kow < 4).
12.4. Mobility in soil	
Ethoxylated Bisphenol A Dimethacrylate (41637-38	-1)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2,56 (2,56 – 3,88)
Ecology - soil	Low potential for adsorption in soil.
1,6-hexanediyl bismethacrylate (6606-59-3)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2,7 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)
Ecology - soil	Low potential for adsorption in soil.
2-Propenoic acid, 2-methyl-, monoester with 1,2-pr	opanediol (27813-02-1)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1,9 (log Koc, Calculated value)
Ecology - soil	Highly mobile in soil.
Methyl methyacrylate (80-62-6)	·
Surface tension	61 mN/m (OECD 115: Surface Tension of Aqueous Solutions)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0,94 – 1,86 (log Koc, EPA OTS 796.2750: Sediment and Soil Adsorption Isotherm, Experimental value, GLP)
Ecology - soil	Highly mobile in soil.
12.5. Results of PBT and vPvB assessment	

HIT-ICE, A

·····,··	
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)

Product/Packaging disposal recommendations

Disposal must be done according to official regulations.

After curing, the product can be disposed of with household waste. . Full or only partially emptied cartridges must be disposed of as special waste in accordance with official regulations. Packaging contaminated by the product : Dispose in a safe manner in accordance with local/national regulations.



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Ecology - waste materials	Avoid release to the environment.
European List of Waste (LoW) code	08 04 09* - waste adhesives and sealants containing organic solvents or other dangerous substances
	20 01 27* - paint, inks, adhesives and resins containing dangerous substances
HP Code	HP3 - "Flammable:"
	 – flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
	- flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small
	quantities, is liable to ignite within five minutes after coming into contact with air;
	 flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
	– flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a
	standard pressure of 101.3 kPa;
	 water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
	- other flammable waste: flammable aerosols. flammable self-heating waste. flammable

 – other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / RID

IMDG	ΙΑΤΑ	RID
ber		I
Not applicable	Not applicable	Not applicable
ame		
Not applicable	Not applicable	Not applicable
s(es)		
Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable
ls		
Not applicable	Not applicable	Not applicable
	Not applicable ame Not applicable ss(es) Not applicable Not applicable Is	Interview Interview Not applicable Not applicable Sector Not applicable Not applicable Not applicable Not applicable Not applicable

14.6. Special precautions for user

Overland transport Not applicable

Transport by sea Not applicable

Air transport Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)	
Reference code Applicable on	
3(a)	Methyl methyacrylate
3(b)	2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol ; Methyl methyacrylate
3(c)	1,6-hexanediyl bismethacrylate ; 1,1,1-Trimethylolpropane trimethacrylate
40.	Methyl methyacrylate

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Germany

GISCODE	CD20 - Chemical anchors, sensitising.
Water hazard class (WGK)	WGK awg, Hazardous to water in general (Classification according to AwSV, Annex 1).
Storage class (LGK, TRGS 510)	LGK 11 - Combustible solids.
Hazardous Incident Ordinance (12. BImSchV)	Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road





Abbreviations and acronyms:			
ATE	Acute Toxicity Estimate		
BCF	Bioconcentration factor		
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008		
DMEL	Derived Minimal Effect level		
DNEL	Derived-No Effect Level		
EC50	Median effective concentration		
IARC	International Agency for Research on Cancer		
ΙΑΤΑ	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
LC50	Median lethal concentration		
LD50	Median lethal dose		
LOAEL	Lowest Observed Adverse Effect Level		
NOAEC	No-Observed Adverse Effect Concentration		
NOAEL	No-Observed Adverse Effect Level		
NOEC	No-Observed Effect Concentration		
OECD	Organisation for Economic Co-operation and Development		
РВТ	Persistent Bioaccumulative Toxic		
PNEC	Predicted No-Effect Concentration		
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
SDS	Safety Data Sheet		
vPvB	Very Persistent and Very Bioaccumulative		

Other information

None.

Full text of H- and EUH-statements:			
Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2		
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2		
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Flam. Liq. 2	Flammable liquids, Category 2		
H225	Highly flammable liquid and vapour.		
H300	Fatal if swallowed.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H319	Causes serious eye irritation.		





Full text of H- and EUH-statements:		
H335	May cause respiratory irritation.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:				
Skin Sens. 1	H317	Calculation method		
Aquatic Chronic 3	H412	Calculation method		

SDS_EU_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.