

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 13.09.2024 Revision date: 13.09.2024 Supersedes version of: 15.09.2022

Version: 22.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Trade name UFI Product code Vaporizer Mixture CFR 1 F2CM-G698-GRNJ-WVVJ BU Fire Protection Aerosol



Professional use

Spray cleaners

For professional use only

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category Industrial/Professional use spec Use of the substance/mixture

xture

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier Hilti Deutschland AG Hiltistr. 2 DE 86916 Kaufering Deutschland T +49 8191 90-0 , F +49 8191 90-1122 de.kundenservice@hilti.com

Feldkircherstraße 100 FL 9494 Schaan Liechtenstein T +423 234 2111 product.compliance-fire.protection@hilti.com

Department issuing data specification sheet

1.4. Emergency telephone number

Emergency number

Emergency CONTACT (24-Hour-Number): GBK GmbH Global Regulatory Compliance +49 (0)6132-84463

Hilti AG

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Aerosol, Category 1 H222;H229 Serious eye damage/eye irritation, Category 2 H319 Specific target organ toxicity – Single exposure, Category 3, Narcosis H336

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Pressurised container: May burst if heated. Extremely flammable aerosol. May cause drowsiness or dizziness. Causes serious eye irritation.



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements				
Labelling according to Regulation (EC) No. 1272/	2008 [CLP]			
Hazard pictograms (CLP)				
	GHS02 GHS07			
Signal word (CLP)	Danger			
Contains	Acetone			
Hazard statements (CLP)	H222 - Extremely flammable aerosol.			
	H229 - Pressurised container: May burst if heated.			
	H319 - Causes serious eye irritation.			
	H336 - May cause drowsiness or dizziness.			
Precautionary statements (CLP)	P210 - Keep away from heat/sparks/open flames/hot surfaces. – No smoking.			
	P211 - Do not spray on an open flame or other ignition source.			
	P251 - Pressurized container: Do not pierce or burn, even after use.			
	P261 - Avoid breathing spray.			
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove			
	contact lenses, if present and easy to do. Continue rinsing.			
	P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.			
EUH-statements	EUH066 - Repeated exposure may cause skin dryness or cracking.			

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component	
Acetone (67-64-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
isobutane (75-28-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
propane (74-98-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component	
Acetone (67-64-1)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
isobutane (75-28-5)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
propane (74-98-6)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Acetone	CAS-No.: 67-64-1 EC-No.: 200-662-2 EC Index-No.: 606-001-00-8 REACH-no: 01-2119471330- 49	40 – 80	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 EUH066
isobutane	CAS-No.: 75-28-5 EC-No.: 200-857-2 EC Index-No.: 601-004-00-0 REACH-no: 01-2119485395- 27	25 – 60	Flam. Gas 1A, H220 Press. Gas (Comp.), H280
propane	CAS-No.: 74-98-6 EC-No.: 200-827-9 EC Index-No.: 601-003-00-5 REACH-no: 01-2119486944- 21	10 – 25	Flam. Gas 1A, H220 Press. Gas (Liq.), H280

Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures	
First-aid measures general	Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing. Call a POISON
	CENTER/doctor if you feel unwell.
First-aid measures after skin contact	If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water.
First-aid measures after eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy
	to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and eff	ects, both acute and delayed
Symptoms/effects	May cause drowsiness or dizziness.

Symptoms/effects Symptoms/effects after eye contact

Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Special hazards arising from the substa	ance or mixture
Fire hazard	Extremely flammable aerosol.
Explosion hazard	Pressurised container: May burst if heated.
Hazardous decomposition products in case of fire	Carbon dioxide. Carbon monoxide. Vapours may form explosive mixture with air.



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

5.3. Advice for firefighters	
Protection during firefighting	Do not attempt to take action without suitable protective equipment. Self-contained
	breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release n	neasures	
6.1. Personal precautions, protective eq	uipment and emergency procedures	
6.1.1. For non-emergency personnel		
Emergency procedures	Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing spray Avoid contact with skin and eyes.	
6.1.2. For emergency responders		
Protective equipment	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
6.2. Environmental precautions		
Prevent entry to sewers and public waters.		
6.3. Methods and material for containme	ent and cleaning up	
Methods for cleaning up	Take up liquid spill into absorbent material.	
Other information	Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections		
For further information refer to section 13.		
SECTION 7: Handling and storag	Je	
7.1. Precautions for safe handling		
Precautions for safe handling	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Avoid breathing spray. Avo contact with skin and eyes. Wear personal protective equipment.	
Hygiene measures	Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, includi	ng any incompatibilities	
Otomore conditions		

r.z. conditions for sale storage, including any incompatibilities		
Storage conditions	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store locked	
	up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.	
Storage temperature	5 – 25 °C	
Storage class (LGK, TRGS 510)	LGK 2B - Aerosol dispensers and lighters	
7.2. Specific and use(a)		

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National occupational exposure and biological limit values

Acetone (67-64-1)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Acetone	
IOEL TWA	1210 mg/m ³	
	500 ppm	



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Acetone (67-64-1)			
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC		
Germany - Occupational Exposure Limits (TRG	S 900)		
Local name	Aceton		
AGW (OEL TWA)	1200 mg/m ³		
	500 ppm		
Peak exposure limitation factor	2(I)		
Remark	AGS - Ausschuss für Gefahrstoffe; DFG - Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe der DFG (MAK-Kommission); EU - Europäische Union (Von der EU wurde ein Luftgrenzwert festgelegt: Abweichungen bei Wert und Spitzenbegrenzung sind möglich); Y - Ein Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes (BGW) nicht befürchtet zu werden		
Regulatory reference	TRGS900		
Germany - Biological limit values (TRGS 903)			
Local name	Aceton		
Biological limit value	50 mg/l Parameter: Aceton - Untersuchungsmaterial: U = Urin - Probenahmezeitpunkt: b) Expositionsende, bzw. Schichtende - Festlegung/Begründung: 5/2023 DFG		
Regulatory reference	TRGS 903		
isobutane (75-28-5)			
Germany - Occupational Exposure Limits (TRG	S 900)		
Local name	Isobutan		
AGW (OEL TWA)	2400 mg/m ³		
	1000 ppm		
Peak exposure limitation factor	4(II)		
Remark	DFG - Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe der DFG (MAK-Kommission)		
Regulatory reference	TRGS900		
propane (74-98-6)			
Germany - Occupational Exposure Limits (TRG	S 900)		
Local name	Propan		
AGW (OEL TWA)	1800 mg/m ³		
	1000 ppm		
Peak exposure limitation factor	4(II)		
Remark	DFG - Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe der DFG (MAK-Kommission)		

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Gloves. Protective clothing. Protective goggles.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Lye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses			EN 166, EN 171

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

_

Wear suitable gloves tested to EN374. Suitable for short-term work or as a splash guard: Nitrile rubber gloves (> 0.2 mm). In case of permanent product contact:

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Protective gloves	Butyl rubber	6 (> 480 minutes)	0,5mm		EN ISO 374

8.2.2.3. Respiratory protection

Respiratory protection:

Ensure good ventilation of the work station. If the occupational exposure limit is exceeded: Wear appropriate mask. (e.g. gas filter type A1-P2 according to EN 14387)

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment. No additional information available



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

of the mation of bable physical and offer	
Physical state	Liquid
Colour	Colourless.
Appearance	Aerosol.
Odour	characteristic.
Odour threshold	Not available
Melting point	Not applicable
Freezing point	Not available
Boiling point	Not available
Flammability	Extremely flammable aerosol.
Explosive properties	Pressurised container: May burst if heated.
Lower explosion limit	Not available
Upper explosion limit	Not available
Flash point	Not applicable
Auto-ignition temperature	Not available
Decomposition temperature	Not available
рН	Not available
Viscosity, kinematic	Not available
Solubility	Not available
Partition coefficient n-octanol/water (Log Kow)	Not available
Vapour pressure	2500 – 2900 hPa at 20 °C
Vapour pressure at 50°C	Not available
Density	0,74 – 0,76 g/cm³
Relative density	Not available
Relative vapour density at 20°C	Not available
Particle characteristics	Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard c	lasses
% of flammable ingredients	120 %

9.2.2. Other safety characteristics

No additional information available

SECTION	10: Stability	y and reactivity

10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

	as defined in Demulation (FC) No 4070/0000
	as defined in Regulation (EC) No 1272/2008
Acute toxicity (oral)	Not classified Not classified
Acute toxicity (dermal) Acute toxicity (inhalation)	Not classified
Acetone (67-64-1)	
LD50 oral rat	5800 mg/kg (Rat, Female, Experimental value, Oral, 14 day(s))
LD50 oral	6667 mg/kg
LD50 dermal rabbit	> 15800 mg/kg bodyweight (24 h, Rabbit, Male, Experimental value, Dermal, 14 day(s))
LD50 dermal	20000 mg/kg
LC50 Inhalation - Rat	132 mg/l (3 h, Rat, Male, Experimental value, Inhalation (vapours))
isobutane (75-28-5)	
LC50 Inhalation - Rat [ppm]	> 800000 ppm (15 minutes, Rat, Male / female, Experimental value, Inhalation (gases))
propane (74-98-6)	
LC50 Inhalation - Rat [ppm]	> 800000 ppm (15 minutes, Rat, Male / female, Experimental value, Inhalation (gases))
Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Causes serious eye irritation.
Respiratory or skin sensitisation	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
STOT-single exposure	May cause drowsiness or dizziness.
Acetone (67-64-1)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	Not classified
Aspiration hazard	Not classified
CFR 1	

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity	
Ecology - general	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	Not classified
Hazardous to the aquatic environment, long-term	Not classified
(chronic)	
Acetone (67-64-1)	
LC50 - Fish [1]	6210 – 8120 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow- through system, Fresh water, Experimental value, Measured concentration)
EC50 - Crustacea [1]	> 12700 mg/l



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Acetone (67-64-1)				
ErC50 algae	> 530 mg/l 96h, Pseudokirchneriella subcapitata			
isobutane (75-28-5)				
EC50 96h - Algae [1]	8,57 mg/l (ECOSAR v1.00, Algae, Fresh water, QSAR)			
propane (74-98-6)				
EC50 96h - Algae [1]	12 mg/l (ECOSAR v1.00, Algae, Fresh water, QSAR)			
12.2. Persistence and degradability				
Acetone (67-64-1)				
Persistence and degradability	Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. Readily biodegradable in water.			
Biochemical oxygen demand (BOD)	1,43 g O ₂ /g substance			
Chemical oxygen demand (COD)	1,92 g O ₂ /g substance			
ThOD	2,2 g O ₂ /g substance			
isobutane (75-28-5)				
Persistence and degradability	Readily biodegradable in water.			
propane (74-98-6)				
Persistence and degradability	Readily biodegradable in water.			
12.3. Bioaccumulative potential				
Acetone (67-64-1)				
BCF - Fish [1]	0,69 (Pisces, Literature study)			
Partition coefficient n-octanol/water (Log Pow)	-0,23 (Test data)			
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).			
isobutane (75-28-5)				
Partition coefficient n-octanol/water (Log Pow)	1,09 – 2,8 (Experimental value, 20 °C)			
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).			
propane (74-98-6)				
Partition coefficient n-octanol/water (Log Pow)	1,1 – 2,8 (Experimental value, 20 °C)			
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).			
12.4. Mobility in soil				

Acetone (67-64-1)		
Surface tension	23,3 mN/m (20 °C)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0,374 – 0,988 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
Ecology - soil	Highly mobile in soil.	
isobutane (75-28-5)		
Surface tension	No data available in the literature	
Ecology - soil	Not applicable (gas).	



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

propane (74-98-6)		
Surface tension No data available in the literature		
Ecology - soil	Not applicable (gas).	
12.5. Results of PBT and vPvB assessment		
CFR 1		
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII		
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII		

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations			
SECTION 15. Disposal consideration	15		
13.1. Waste treatment methods			
Waste treatment methods	Dispose of contents/container in accordance with licensed collector's sorting instructions.		
European List of Waste (LoW, EC 2000/532)	16 05 04* - gases in pressure containers (including halons) containing dangerous substances		
HP Code	15 01 10* - packaging containing residues of or contaminated by dangerous substances HP3 - "Flammable:"		
	– flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;		
	 – flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air; 		
	 – flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction; 		
	 – flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa; 		
	 water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities; 		
	 other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste. 		
	HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.		

SECTION 14: Transport information

ADR	IMDG	ΙΑΤΑ	RID	
ABR		D. T.A.	iub	
14.1. UN number or ID number				
UN 1950	UN 1950	UN 1950	UN 1950	
14.2. UN proper shipping name				
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS	
Transport document description				
UN 1950 AEROSOLS, 2.1, (D)	UN 1950 AEROSOLS, 2.1	UN 1950 Aerosols, flammable, 2.1	UN 1950 AEROSOLS, 2.1	



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	ΙΑΤΑ	RID		
14.3. Transport hazard class(es)					
2.1	2.1	2.1	2.1		
2		2	2		
14.4. Packing group					
Not applicable	Not applicable	Not applicable	Not applicable		
14.5. Environmental hazards					
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No		
No supplementary information available					

14.6. Special precautions for user

Overland transport		
Classification code (ADR)	5F	
Special provisions (ADR)	190, 327, 344, 625	
Limited quantities (ADR)	11	
Packing instructions (ADR)	P207, LP02	
Mixed packing provisions (ADR)	MP9	
Transport category (ADR)	2	
Tunnel restriction code (ADR)	D	
Transport by sea		
Special provisions (IMDG)	63, 190, 277, 327, 344, 959	
Limited quantities (IMDG)	SP277	
Packing instructions (IMDG)	P207, LP02	
EmS-No. (Fire)	F-D	
EmS-No. (Spillage)	S-U	
Stowage category (IMDG)	None	
MFAG-No	126	
Air transport		
PCA packing instructions (IATA)	203	
PCA max net quantity (IATA)	75kg	
CAO packing instructions (IATA)	203	
Special provisions (IATA)	A145, A167, A802	
Rail transport		
Special provisions (RID)	190, 327, 344, 625	
Limited quantities (RID) 1L		
Packing instructions (RID) P207, LP02		
14.7. Maritime transport in bulk accor	ding to IMO instruments	

14.7. Maritime transport in bulk according to IMO instruments

Not applicable



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	
3(a)	CFR 1 ; Acetone	
3(b)	CFR 1 ; Acetone	
40.	Acetone ; isobutane ; propane	

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors) ANNEX II REPORTABLE EXPLOSIVES PRECURSORS

List of substances on their own or in mixtures or in substances for which suspicious transactions and significant disappearances and thefts are to be reported within 24 hours.

Name	CAS-No.		Combined Nomenclature code for mixture without constituents which would determine classification under another CN code
Acetone	67-64-1	2914 11 00	ex 3824 99 92

Please see https://home-affairs.ec.europa.eu/policies/internal-security/counter-terrorism-and-radicalisation/protection/legislation-chemicals-used-home-made-explosives en

Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category	Threshold	Annex
Acetone		67-64-1	2914 11 00	Category 3		Annex I

15.1.2. National regulations

Germany

Water hazard class (WGK)
Hazardous Incident Ordinance (12. BImSchV)

WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1). Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
			general update
1		Modified	
8.2		Modified	
15		Modified	
16		Modified	

Abbreviations and acronyms:			
CAS-No.	Chemical Abstract Service number		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
ATE	Acute Toxicity Estimate		
BCF	Bioconcentration factor		
BLV	Biological limit value		
BOD	Biochemical oxygen demand (BOD)		
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008		
DMEL	Derived Minimal Effect level		
DNEL	Derived-No Effect Level		
EC-No.	European Community number		
EC50	Median effective concentration		
ED	Endocrine disrupting properties		
EN	European Standard		
IARC	International Agency for Research on Cancer		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
IOELV	Indicative Occupational Exposure Limit Value		
LC50	Median lethal concentration		
LD50	Median lethal dose		
LOAEL	Lowest Observed Adverse Effect Level		
N.O.S.	Not Otherwise Specified		
NOAEC	No-Observed Adverse Effect Concentration		
NOAEL	No-Observed Adverse Effect Level		
NOEC	No-Observed Effect Concentration		
vPvB	Very Persistent and Very Bioaccumulative		



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations ar	Abbreviations and acronyms:				
WGK	Water Hazard Class				
VOC	Volatile Organic Compounds				
SDS	Safety Data Sheet				
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail				
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006				
PNEC	Predicted No-Effect Concentration				
PBT	Persistent Bioaccumulative Toxic				
OEL	Occupational Exposure Limit				
OECD	Organisation for Economic Co-operation and Development				
COD	Chemical oxygen demand (COD)				
ThOD	Theoretical oxygen demand (ThOD)				
TRGS	Technical Rules for Hazardous Substances				
TLM	Median Tolerance Limit				
STP	Sewage treatment plant				

Full text of H- and EUH-statements:			
Aerosol 1	Aerosol, Category 1		
EUH066	Repeated exposure may cause skin dryness or cracking.		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Flam. Gas 1A	Flammable gases, Category 1A		
Flam. Liq. 2	Flammable liquids, Category 2		
H220	Extremely flammable gas.		
H222	Extremely flammable aerosol.		
H225	Highly flammable liquid and vapour.		
H229	Pressurised container: May burst if heated.		
H280	Contains gas under pressure; may explode if heated.		
H319	Causes serious eye irritation.		
H336	May cause drowsiness or dizziness.		
Press. Gas (Comp.)	Gases under pressure : Compressed gas		
Press. Gas (Liq.)	Gases under pressure : Liquefied gas		
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis		

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:			
Aerosol 1 H222;H229 On basis of test data			
Eye Irrit. 2	H319	Calculation method	
STOT SE 3	H336	Calculation method	



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SDS_EU_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.