

# Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis Issue date: 11.11.2024 Revision date: 11.11.2024 Supersedes version of: 08.08.2024 Version: 5.17

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier		
Product form Product name Product code Other means of identification	Article Li-Ion Batteries >100 Wh BU ET&A Hilti B 18 / 5.2 Li-Ion (01), Hilti B 22 / 5.2 Li-Ion (01), Hilti B 22 / 8.0 Li-Ion (01), Hilti B 36 / 3.0 Li-Ion (01), Hilti B 36 / 3.3 Li-Ion (01), Hilti B 36 / 3.9 Li-Ion (01), Hilti B 36 / 5.2 Li-Ion (01), Hilti B 36 / 6.0 Li-Ion (01), Hilti B 36 / 9.0 Li-Ion (01), Hilti B 22-110 Li-Ion (01), Hilti B22-170 Li-Ion (01), Hilti B22-195 Li-Ion (01), Hilti B22-255 Li-Ion (01), Hilti B22-290 Li-Ion (01)	
1.2. Relevant identified uses of the substance	e or mixture and uses advised against	
<ul> <li>1.2.1. Relevant identified uses</li> <li>Industrial/Professional use spec</li> <li>Use of the substance/mixture</li> <li>1.2.2. Uses advised against</li> </ul>	For professional use only Rechargeable Lithium Ion battery for power tools	
No additional information available		
1.3. Details of the supplier of product safety information sheet		
Supplier Hilti Deutschland AG Hiltistr. 2 DE 86916 Kaufering Deutschland T +49 8191 90-0 , F +49 8191 90-1122 de.kundenservice@hilti.com	Department issuing data specification sheet Hilti AG Feldkircherstraße 100 FL 9494 Schaan Liechtenstein T +423 234 2111 product.compliance-power.tools@hilti.com	
1.4. Emergency telephone number		
Emergency number	Emergency CONTACT (24-Hour-Number): GBK GmbH Global Regulatory Compliance +49 (0)6132-84463	

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Not classified

Adverse physicochemical, human health and environmental effects No additional information available

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] No labelling applicable



# Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

2.3. Other hazards	
Other hazards which do not result in classification	For the battery chemical materials are stored in a hermetically sealed metal case, designed to withstand temperatures and pressures encountered during normal use. As a result, during normal use there is no physical danger of ignition or explosion and chemical danger of hazardous materials leakage.
	It may cause heat generation or electrolyte leakage if battery terminals contact with other metals. Electrolyte is flammable. In case of electrolyte leakage move the battery from fire immediately. However if exposed to a fire, added mechanical shocks, decomposed, added electric stress by miss-use, the gas release vent will be operated. The battery case will be breaked at the extreme, hazardous materials may be released.

Moreover, if heated strongly by a surrounding fire, acrid gas may be emitted.

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

3.2. Mixtures	
Comments	Lithium Ion rechercheable battery pack:
	Name/Type Energy content (Wh)
	Hilti B 18 / 5.2 Li-Ion (01) 112,00
	Hilti B 22 / 5.2 Li-Ion (01) 112,00
	Hilti B 22 / 8.0 Li-Ion (01) 171,08
	Hilti B 36 / 3.0 Li-Ion (01) 108,00
	Hilti B 36 / 3.3 Li-Ion (01) 118,80
	Hilti B 36 / 3.9 Li-Ion (01) 140,40
	Hilti B 36 / 5.2 Li-Ion (01) 187,20
	Hilti B 36 / 6.0 Li-Ion (01) 216,00
	Hilti B 36 / 9.0 Li-Ion (01) 316,80
	Hilti B 22-110 Li-Ion (01) 110,16
	Hilti B 22-170 Li-Ion (01) 170,65
	Hilti B 22-195 Li-Ion (01) 194,4
	Hilti B 22-255 Li-Ion (01) 255,96
	Hilti B 22-290 Li-Ion (01) 291,6
	This product contains a positive electrode (Lithium cobalt oxide (CAS-No. 12190-79-3)), a
	negative electrode (graphite (CAS-No. 7782-42-5)) and electrolyte (ethylene
	carbonate(CAS-No. 96-49-1), diethyl carbonate (CAS-No. 105-58-8) and lithium
	hexafluorophosphate (CAS-No. 21324-40-3)).
	The physical form of the product, however, precludes exposure to workers under normal
	conditions of use.

This mixture does not contain any substances to be mentioned according to the criteria of section 3.2 of REACH Annex II

# SECTION 4: First aid measures 4.1. Description of first aid measures First-aid measures general If the electrolyte is leaking out of the battery pack, the following measures have to be taken. First-aid measures after inhalation Allow affected person to breathe fresh air. Allow the victim to rest. First-aid measures after skin contact Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. First-aid measures after eye contact Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.



## Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

First-aid measures after ingestion

Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects

Not expected to present a significant hazard under anticipated conditions of normal use.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	Cool batteries and accumulators with water jet. In case of fire in the surroundings: Use extinguishing agent suitable for surrounding fire.		
Unsuitable extinguishing media	No additional information available.		
5.2. Special hazards arising from the substance or mixture			
Hazardous decomposition products in case of fire	Formation of toxic gases is possible during heating or in case of fire.		
5.3. Advice for firefighters			
Firefighting instructions	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.		
Protection during firefighting	Do not enter fire area without proper protective equipment, including respiratory protection.		

6.1. Personal precautions, protect	tive equipment and emergency procedures
General measures	No flames, no sparks. Eliminate all sources of ignition. Isolate from fire, if possible, withou unnecessary risk.
6.1.1. For non-emergency personnel	
Protective equipment	Wear protective gloves. protective clothing. Safety goggles. Gas mask.
Emergency procedures	Evacuate unnecessary personnel. No flames, no sparks. Eliminate all sources of ignition.
	Isolate from fire, if possible, without unnecessary risk.
6.1.2. For emergency responders	
Protective equipment	Equip cleanup crew with proper protection.
Emergency procedures	Ventilate area.

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	Take up liquid spill into absorbent material.	
Other information	Dispose of materials or solid residues at an authorized site.	

#### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	Normal use of this product shall imply use in accordance with the instructions on the

Normal use of this product shall imply use in accordance with the instructions on the packaging and in line with the expectations of a professional user.



# Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

Precautions for safe handling	Do not soak in water or seawater. Do not expose to strong oxidizers. Do not give a strong mechanical shock or fling. Never disassemble, modify or deform. Do not connect the positive terminal to the negative terminal with electrically conductive material. Use only the chargers / electric tools specified by Hilti to charge or discharge the battery. Do not throw into fire or expose to high temperatures (>85 °C). Do not connect the positive terminal to the negative terminal with electrically conductive		
	material.		
Hygiene measures	Always wash hands after handling the product.		
7.2. Conditions for safe storage, including any incompatibilities			
Storage conditions	Avoid direct sunlight, high temperature, high humidity.		
	Store in a cool place (temperature: -20 °C ~ 40 °C, humidity: 45 - 85%).		
Incompatible products	Strong bases. Strong acids.		
Incompatible materials	Sources of ignition. Direct sunlight.		
Storage temperature	-20 – 40 °C		
Information on mixed storage	Store away from water.		
	Do not store together with electrically conductive materials.		
	The accu-pack should be stored at 30 to 50% of the charging capacity.		
	Avoid storing in places where it is exposed to static electricity.		
Storage area	Store in a well-ventilated place.		
Storage class (LGK, TRGS 510)	LGK 11 - Combustible solids		
7.3. Specific end use(s)			

No additional information available

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Additional information

No technical measures are necessary during normal use. In case of leakage of substances contained within the cell, the information below may be useful.

#### 8.1.1. National occupational exposure and biological limit values

No additional information available

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

# 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

If the electrolyte is leaking out of the battery pack, the following measures have to be taken.



# Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

#### 8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

#### Eye protection:

Chemical goggles or safety glasses

#### 8.2.2.2. Skin protection

#### Hand protection:

Wear protective gloves.

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0,12		EN ISO 374

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

Wear appropriate mask

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Other information:

Do not eat, drink or smoke during use.

No additional information available

## SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	Solid
Colour	red. Black.
Appearance	plastic case.
Odour	odourless.
Odour threshold	Not available
Melting point	Not available
Freezing point	Not available
Boiling point	Not available
Flammability	Non flammable.
Explosive properties	Risk of explosion by shock, friction, fire or other sources of ignition.
Lower explosion limit	Not applicable
Upper explosion limit	Not applicable
Flash point	Not applicable
Auto-ignition temperature	Not applicable
Decomposition temperature	Not available
рН	Not available
pH solution	Not available
Viscosity, kinematic	Not applicable



# Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

Solubility Partition coefficient n-octanol/water (Log Kow) Vapour pressure Vapour pressure at 50°C Density Relative density Relative density Relative vapour density at 20°C Particle size Particle size Particle size distribution Particle shape Particle aspect ratio Particle specific surface area	Not available Not available Not available Not available Not available Not available Not available Not available Not available Not available
Particle specific surface area Particle dustiness	Not available Not available

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Heating may cause a fire or explosion.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Water, humidity.

#### 10.5. Incompatible materials

Conductive materials, water, seawater, strong oxidizers and strong acids.

#### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

# **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Not classified
Not classified
Not classified
Not classified
Based on available data, the classification criteria are not met
Not classified
Based on available data, the classification criteria are not met
Not classified
Based on available data, the classification criteria are not met
Not classified
Based on available data, the classification criteria are not met
Not classified



# Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

Additional information	Based on available data, the classification criteria are not met
Reproductive toxicity	Not classified
Additional information	Based on available data, the classification criteria are not met
STOT-single exposure	Not classified
Additional information	Based on available data, the classification criteria are not met
STOT-repeated exposure	Not classified
Additional information	Based on available data, the classification criteria are not met
Aspiration hazard	Not classified
Additional information	Based on available data, the classification criteria are not met
11.2. Information on other hazards	
11.2.1. Endocrine disrupting properties	

## 11.2.2. Other information

Potential adverse human health effects and	This product contains an organic electrolyte. If the electrolyte is leaking out of the battery
symptoms	pack, the following effects are known when getting into contact: Irritation: severely irritant to
	eyes, Irritation: may cause irritation to the respiratory system
Other information	When used and handled according to specifications, the product does not have any harmful
	effects according to our experience and the information provided to us

SECTION 12: Ecological information	
SECTION 12: Ecological information	
12.1. Toxicity	
Hazardous to the aquatic environment, short-term (acute)	Not classified
Hazardous to the aquatic environment, long-term (chronic)	Not classified
12.2. Persistence and degradability	
Li-Ion Batteries >100 Wh	
Persistence and degradability	Not established.
12.3. Bioaccumulative potential	
Li-Ion Batteries >100 Wh	
Bioaccumulative potential	Not established.
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Endocrine disrupting properties	
No additional information available	
12.7. Other adverse effects	
Additional information	Do not allow battery packs to penetrate the soil. The battery cell may corrode and electrolyte may leak.

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Product/Packaging disposal recommendations	Dispose in a safe manner in accordance with local/national regulations. Refer to	
	manufacturer/supplier for information on recovery/recycling.	



Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

Ecological information European List of Waste (LoW, EC 2000/532)

Avoid release to the environment. 16 06 05 - other batteries and accumulators 20 01 34 - batteries and accumulators other than those mentioned in 20 01 33

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / RID /

ADR	IMDG	ΙΑΤΑ	RID
14.1. UN number or ID number			
UN 3480	UN 3480	UN 3480	UN 3480
14.2. UN proper shipping name			
LITHIUM ION BATTERIES	LITHIUM ION BATTERIES	Lithium ion batteries	LITHIUM ION BATTERIES
Transport document description			
UN 3480 LITHIUM ION BATTERIES, 9, (E)	UN 3480 LITHIUM ION BATTERIES, 9	UN 3480 Lithium ion batteries, 9	UN 3480 LITHIUM ION BATTERIES, 9
14.3. Transport hazard class(es)			
9	9	9	9
14.4. Packing group			
Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards	·	·	·
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information availa	able		

#### 14.6. Special precautions for user

Overland transport		
Classification code (ADR)	M4	
Special provisions (ADR)	230, 377, 376, 636, 310, 348, 387	
Limited quantities (ADR)	0	
Packing instructions (ADR)	P903, P908, P909, P910, P911, LP903, LP904, LP905, LP906	
Transport category (ADR)	2	
Tunnel restriction code (ADR)	E	
Transport by sea		
Special provisions (IMDG)	230, 376, 377, 310, 348, 384, 387	
Limited quantities (IMDG)	0	
Packing instructions (IMDG)	P903, P908, P909 , P910, P911, LP903, LP904, LP905, LP906	
EmS-No. (Fire)	F-A	
EmS-No. (Spillage)	S-I	
Stowage category (IMDG)	A	
Stowage and handling (IMDG)	SW19	
MFAG-No	147	



## Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

<b>••</b> • • •	
Air transport	
PCA packing instructions (IATA)	Forbidden
PCA max net quantity (IATA)	Forbidden
CAO packing instructions (IATA)	See 965
Special provisions (IATA)	A88, A99, A154, A164, A183, A213, A331, A802
Rail transport	
Special provisions (RID)	230, 310, 348, 376, 377, 387, 636
Limited quantities (RID)	0
Packing instructions (RID)	P903, 908, 909, P910, P911, LP903, LP904, LP905, LP906
14.7. Maritime transport in bulk accord	ding to IMO instruments
Not applicable	

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

Not applicable.

#### **REACH** Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

#### Germany

Water hazard class (WGK) Hazardous Incident Ordinance (12. BImSchV) WGK 3, Highly hazardous to water. Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### **SECTION 16: Other information**

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis



# Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

Indication of changes			
Section	Changed item	Change	Comments
1.1	Product name	Added	
3.2	Comments	Added	

SDS\_EU\_Hilti